

NAPOLEON



ELECTRIC WALL MOUNT FIREPLACES
napoleonfireplaces.com



Interior space has never been more flexible.

Azure™ 42 - EFL42H.....	4 - 5
Azure™ 50 - EFL50H.....	6 - 7
Azure™ Vertical 38 - NEFV38H.....	8 - 9
Allure™ Series - 32, 42, 50, 60, 72 & 100.....	10 - 15
Allure™ Phantom Series - 42, 50 & 60.....	16 - 18
Outstanding Features.....	19
Detailed Specifications.....	20 - 23



Allure™ 100 shown with orange flame color option



FIND YOUR HAPPY (fire)PLACE.

Throughout the ages, people have gathered around fires to share in life's greatest joys.

There's just something about the glow of flickering flames that makes special moments feel even warmer.

A Napoleon fireplace is uniquely designed to brighten the vibe of any room in your house. Napoleon has an incredible range of designer options to fit any vision.

A fire not only raises the warmth and ambiance of a room, it can raise the value of your home. A fireplace offers some of the highest returns of any remodeling project. And that should make you feel good all over.

And so you can keep enjoying that positive glow for years and years and years to come, every Napoleon fireplace is backed by a solid warranty.



We are proud to be recognized as one of Canada's Best Managed Companies and are dedicated to providing quality, home comfort products for over 40 years and counting.

Azure™ 42

A 42 inch linear electric fireplace that is perfect for those wanting an aesthetically pleasing focal point in their room without the need for venting. The high intensity LED lights make it one of the brightest electric fireplaces available, making it perfect for both night and day use. The Azure™ 42 electric fireplace features three different flame color settings which create a variety of looks to match or enhance any room in your home. The convenient wall hanging installation allows a quick and easy transformation of living rooms, kitchens, bathrooms, waiting rooms and offices.

EFL42H

5,000 BTU's

1,500 Watts

18"h x 42"w x 4 3/8"d

For more detailed specifications, see page 20

LOW ENERGY
LED
HIGH INTENSITY

Features & Accessories



Paintable Cord Cover



Remote Control



Azure™ 42 shown with paintable cord cover and multi-color flame option






Azure™ 42 shown with paintable cord cover and blue flame color option



Flame Color Options
Blue, Multi-Color and Orange



Glass Media Kits available in full replacement or enhancement kits
Clear (standard), Topaz, Blue, Amber, Black and Red



Azure™ 50

The Azure™ 50 linear electric fireplace is perfect for those wanting an aesthetically pleasing focal point in their room without the need for venting. The high intensity LED lights make it one of the brightest electric fireplaces and can be used in daylight or after dark. The Azure™ 50 electric fireplace feature three different flame color settings to match or enhance any room in your home, a generous glass front and a clear glass ember bed to complement the crisp, clean design. The convenient wall hanging installation allows a quick and easy transformation of living rooms, bedrooms, kitchens, waiting rooms and offices.

EFL50H

5,000 BTU's

1,500 Watts

19 $\frac{7}{8}$ "h x 43 $\frac{1}{2}$ "w x 4 $\frac{7}{8}$ "d

For more detailed specifications, see page 20

LOW ENERGY
LED
HIGH INTENSITY



Azure™ 50 shown with orange flame color option

Features & Accessories



Paintable Cord Cover



Front Vents allow unit to be partially recessed




Remote Control



Azure™ 50 shown with multi-color flame option



Flame Color Options
Blue, Multi-Color and Orange



Glass Media Kits available in full replacement or enhancement kits
Clear (standard), Topaz, Blue, Amber, Black and Red



Azure™ Vertical 38

The Azure™ Vertical electric fireplace is a stunning statement piece for any small or large area without the need for venting. Never sacrifice your personal style again by giving yourself ample choices! Customize your Azure™ Vertical 38 electric fireplace by choosing from one of three color settings, for not only the CRYSTALINE™ ember bed but the back lit NIGHT LIGHT™ as well. Enjoy the convenience of a “Hang, Plug and Go” fireplace or choose a recessed installation for a sleeker low-profile look. Whatever you do, make sure to sit back, relax, remote in hand and enjoy the memories around your new Azure™ Vertical 38 electric fireplace.

NEFV38H

5,110 BTU's
1,500 Watts
38"h x 17"w x 6"d

For more detailed specifications, see page 20

LOW ENERGY
LED
HIGH INTENSITY

Features & Accessories



Paintable Cord Cover



Back Lit NIGHT LIGHT™ Color Options
Blue, Orange and Purple



Remote Control





The Azure™ Vertical 38 electric fireplace shown with blue ember bed option and blue back lit NIGHT LIGHT™ with paintable cord cover



CRYSTALINE™ Ember Bed Color Options
Blue, Orange and Purple



Glass Media Kits available in full replacement or enhancement kits
Clear (standard), Topaz, Blue, Amber, Black and Red



Allure™ Series

Making a statement with an Allure™ Series fireplace is easy. With six lengths to choose from, every Allure™ fireplace sparkles with a crystal ember bed and three different color flame options; orange, blue or combined. Control the appearance as well as temperature and blower with the included remote control. Any Allure™ series fireplace can simply be plugged in and placed on a table or hung on a wall for instant satisfaction. What makes these fireplaces special is the ability to be fully recessed into the wall thanks to placement of front vents. The only difficulty now is deciding which one you want.

5,000 BTU's
 1,500 Watts
 21½" h x 5" d

Features




Remote Control



Paintable Cord Cover



Touch Screen Control Panel




Front Vents Allow Unit to be Fully Recessed



Flame Color Options: Blue, Multi-Color and Orange

LOW ENERGY
LED
 HIGH INTENSITY

Accessories



Glass Media Kits available in full replacement or enhancement kits
 Clear (standard), Topaz, Blue, Amber, Black and Red



Allure™ 50 shown with combined orange and blue flame color option

A size for every room.



NEFL60FH 60"



NEFL50FH 50"



NEFL72FH 72"



NEFL42FH 42"



NEFL100FH 100"



NEFL32FH 32"





Allure™ 32 shown with orange flame color option



Allure™ 42 shown with blue flame color option



Allure™ 50 shown with orange flame color option



Allure™ 60 shown with combined orange and blue flame color option





Allure™ 72 shown with orange flame color option



Allure™ 100 shown with combined orange and blue flame color option

Allure™ Phantom Series

Transform your space by simply hanging one of the Allure™ Phantom Electric Fireplaces, no gas specialist needed. Drink in the sparkling glass ember bed and flames without glare or reflections thanks to a matte surround and mesh front. Control comfort and mood with the touch of a button. Adjust flame height and instantly transition between cool blue, bright orange, or a combination of both. Any of the Allure™ Phantom wall hanging fireplaces can be plugged in and simply placed onto a table or can be installed fully recessed, or wall hung protruding only 5" into your space. Renew your living space with one of three luxurious Allure™ Phantom Electric Fireplaces.

5,000 BTU's
1,500 Watts
21½" h x 5" d

Features




Remote Control




Paintable Cord Cover



Touch Screen Control Panel



Front Vents Allow Unit to be Fully Recessed




Allure™ Phantom with crystal clear cubes, matte surround and mesh front



Flame Color Options: Blue, Multi-Color and Orange

LOW ENERGY
LED
HIGH INTENSITY

Accessories



Glass Media Kits available in full replacement or enhancement kits
Clear (standard), Topaz, Blue, Amber, Black and Red

A size for every room.



NEFL42FH-MT ————— 42"



NEFL50FH-MT ————— 50"



NEFL60FH-MT ————— 60"



Allure[®] Phantom 42 shown with orange flame color option





Allure™ Phantom 50 shown with blue flame color option





Allure™ Phantom 60 shown with combined orange and blue flame color option



Outstanding Features

of Napoleon's Advanced Technology



Reliable LED Technology

Napoleon's electric Azure[™], Allure[™] and Allure[™] Phantom series offer reliable LED technology for added convenience. LED lights are extremely energy efficient and long-lasting saving you the hassle of having to change out light bulbs. Plus LED lights are high intensity providing a product you can enjoy during both day and night time.

No Glare Front with Invisible Screen

Napoleon's Allure[™] Phantom Series contains a mesh front and matte surround which eliminates distracting reflections caused by a glass front. High intensity LED lights can be seen at night or during the day!

Hidden Touch Screen Controls

The Allure[™] and Allure[™] Phantom Series touch screen controls allow you to adjust the fan, heat level, flame height and brightness. At the touch of your finger you can set the thermostat to a desired temperature, plus use the timer to control hours of operation.

Front Vent Heat


Napoleon's Electric Allure[™] and Allure[™] Phantom fireplaces have been designed with front vents, allowing you the option of a fully recessed or convenient wall mount installation.

Flexible Installation Options

The Azure[™] Series electric fireplaces can be partially recessed (excluding the Azure[™] 42) for reduced protrusion into the room. All of the Allure[™] Series fireplaces are designed with front vents so they can be fully recessed for a sleek and non-existent foot print in your room.

Azure™ 42 EFL42H

Shown on pages 4 & 5




Model	BTU's	Watts	Height		Front Width		Depth		Installation	Mobile Home Certified	Blower	Remote Control	Ember Bed	
			Actual	Framing	Actual	Framing	Actual	Framing					Logs	Glass
EFL42H	5,000	1,500	18"	N/A	42"	N/A	4 5/8"*	N/A	Wall Mount	Yes	Standard	Standard	N/A	Standard

Certified under Canadian and American National Standards.

Azure™ 50 EFL50H

Shown on pages 6 & 7




Model	BTU's	Watts	Height		Front Width		Depth		Installation	Mobile Home Certified	Blower	Remote Control	Ember Bed	
			Actual	Framing	Actual	Framing	Actual	Framing					Logs	Glass
EFL50H	5,000	1,500	19 7/8"	17 1/2"	49 7/8"	45"	4 7/8"*	3 1/2"	Wall Mount/ Partially Recessed	Yes	Standard	Standard	N/A	Standard

Certified under Canadian and American National Standards.

Azure™ Vertical 38 NEFV38H

Shown on pages 8 & 9



Model	BTU's	Watts	Height		Front Width		Depth		Installation	Mobile Home Certified	Blower	Remote Control	Ember Bed	
			Actual	Framing	Actual	Framing	Actual	Framing					Logs	Glass
NEFV38H	5,110	1,500	38"	33"	17"	13 3/4"	6"*	2"	Wall Mount/ Partially Recessed	Yes	Standard	Standard	N/A	Standard

Certified under Canadian and American National Standards.


*Excludes glass thickness

Figures may vary with individual conditions such as floor plan layout, insulation value/heat loss of the house and geographical location.

Measurements to be used as a guide only. Consult your owner's manual for complete and up-to-date installation instructions and proper clearances to combustible materials.

Allure™ 32 NEFL32FH

Shown on pages 10 & 11




Model	BTU's	Watts	Height		Front Width		Depth		Installation	Mobile Home Certified	Blower	Remote Control	Ember Bed	
			Actual	Framing	Actual	Framing	Actual	Framing					Logs	Glass
NEFL32FH	5,000	1,500	21 3/8"	21"	32"	27 13/16"	5"	3 1/2 - 5"	Wall Mount/ Fully Recessed	Yes	Standard	Standard	N/A	Standard

Certified under Canadian and American National Standards.

Allure™ 42 NEFL42FH

Shown on pages 10 & 11




Model	BTU's	Watts	Height		Front Width		Depth		Installation	Mobile Home Certified	Blower	Remote Control	Ember Bed	
			Actual	Framing	Actual	Framing	Actual	Framing					Logs	Glass
NEFL42FH	5,000	1,500	21 3/8"	21"	42"	38"	5"	3 1/2 - 5"	Wall Mount/ Fully Recessed	Yes	Standard	Standard	N/A	Standard

Certified under Canadian and American National Standards.

Allure™ 50 NEFL50FH

Shown on pages 10 & 11



Model	BTU's	Watts	Height		Front Width		Depth		Installation	Mobile Home Certified	Blower	Remote Control	Ember Bed	
			Actual	Framing	Actual	Framing	Actual	Framing					Logs	Glass
NEFL50FH	5,000	1,500	21 3/8"	21"	50"	45 15/16"	5"	3 1/2 - 5"	Wall Mount/ Fully Recessed	Yes	Standard	Standard	N/A	Standard

Certified under Canadian and American National Standards.


*Excludes glass thickness

Figures may vary with individual conditions such as floor plan layout, insulation value/heat loss of the house and geographical location.

Measurements to be used as a guide only. Consult your owner's manual for complete and up-to-date installation instructions and proper clearances to combustible materials.

**Allure™ 60
NEFL60FH**

Shown on pages 10 & 11




Model	BTU's	Watts	Height		Front Width		Depth		Installation	Mobile Home Certified	Blower	Remote Control	Ember Bed	
			Actual	Framing	Actual	Framing	Actual	Framing					Logs	Glass
NEFL60FH	5,000	1,500	21 3/8"	21"	60"	55 13/16"	5"	3 1/2 - 5"	Wall Mount/ Fully Recessed	Yes	Standard	Standard	N/A	Standard

Certified under Canadian and American National Standards.

**Allure™ 72
NEFL72FH**

Shown on pages 10 & 11




Model	BTU's	Watts	Height		Front Width		Depth		Installation	Mobile Home Certified	Blower	Remote Control	Ember Bed	
			Actual	Framing	Actual	Framing	Actual	Framing					Logs	Glass
NEFL72FH	5,000	1,500	21 3/8"	21"	72"	67 3/8"	5"	3 1/2 - 5"	Wall Mount/ Fully Recessed	Yes	Standard	Standard	N/A	Standard

Certified under Canadian and American National Standards.

**Allure™ 100
NEFL100FH**

Shown on pages 10 & 11




Model	BTU's	Watts	Height		Front Width		Depth		Installation	Mobile Home Certified	Blower	Remote Control	Ember Bed	
			Actual	Framing	Actual	Framing	Actual	Framing					Logs	Glass
NEFL100FH	5,000	1,500	21 3/8"	21"	100"	95 3/8"	5"	3 1/2 - 5"	Wall Mount/ Fully Recessed	Yes	Standard	Standard	N/A	Standard

Certified under Canadian and American National Standards.

Figures may vary with individual conditions such as floor plan layout, insulation value/heat loss of the house and geographical location. Measurements to be used as a guide only. Consult your owner's manual for complete and up-to-date installation instructions and proper clearances to combustible materials.

Allure™ Phantom 42 NEFL42FH-MT

Shown on pages 16 & 17




Model	BTU's	Watts	Height		Front Width		Depth		Installation	Mobile Home Certified	Blower	Remote Control	Ember Bed	
			Actual	Framing	Actual	Framing	Actual	Framing					Logs	Glass
NEFL42FH-MT	5,000	1,500	21 3/8"	21"	42"	38"	5 1/3"	3 1/2 - 5"	Wall Mount/ Fully Recessed	Yes	Standard	Standard	N/A	Standard

Certified under Canadian and American National Standards.

Allure™ Phantom 50 NEFL50FH-MT

Shown on pages 16 & 17




Model	BTU's	Watts	Height		Front Width		Depth		Installation	Mobile Home Certified	Blower	Remote Control	Ember Bed	
			Actual	Framing	Actual	Framing	Actual	Framing					Logs	Glass
NEFL50FH-MT	5,000	1,500	21 3/8"	21"	50"	45 15/16"	5 1/3"	3 1/2 - 5"	Wall Mount/ Fully Recessed	Yes	Standard	Standard	N/A	Standard

Certified under Canadian and American National Standards.

Allure™ Phantom 60 NEFL60FH-MT

Shown on pages 16 & 17



Model	BTU's	Watts	Height		Front Width		Depth		Installation	Mobile Home Certified	Blower	Remote Control	Ember Bed	
			Actual	Framing	Actual	Framing	Actual	Framing					Logs	Glass
NEFL60FH-MT	5,000	1,500	21 3/8"	21"	60"	55 13/16"	5 1/3"	3 1/2 - 5"	Wall Mount/ Fully Recessed	Yes	Standard	Standard	N/A	Standard

Certified under Canadian and American National Standards.

*Excludes glass thickness

Figures may vary with individual conditions such as floor plan layout, insulation value/heat loss of the house and geographical location.

Measurements to be used as a guide only. Consult your owner's manual for complete and up-to-date installation instructions and proper clearances to combustible materials.



NAPOLEON - CELEBRATING OVER 40 YEARS OF HOME COMFORT PRODUCTS



24 Napoleon Road, Barrie, Ontario, Canada L4M 0G8
103 Miller Drive, Crittenden, Kentucky, USA 41030
7200 Trans Canada Highway, Montreal, Quebec, Canada H4T 1A3

Tel: 705-721-1212 Fax: 705-722-6031
napoleonfireplaces.com

Authorized Dealer



Consult your owner's manual for complete installation instructions, accurate framing dimensions and proper clearances to combustible material. Check all local and national building codes. All specifications are subject to change without prior notice due to on-going product improvements. Products may not be exactly as shown. Napoleon is a registered trademark of Wolf Steel Ltd. © Wolf Steel inc.