



Effective: June 1, 2012
Revised: October 23, 2012

GD80NT-1ME

GD80NT-1M MADISON™ DIRECT VENT GAS FIREPLACE (ZERO CLEARANCE TOP VENT)

Tested as a heater to ANSI Z21.88 and CSA 2.33

Venting - 5" & 8"

UNIT INCLUDES: ELECTRONIC IGNITION WITH BATTERY BACK UP AND BUILT-IN ADJUSTABLE FLAME/HEAT CONTROL, STAINLESS STEEL FLEX CONNECTOR WITH SHUT OFF, NIGHT LIGHT™ WITH ON/OFF SWITCH, HEAT CIRCULATING BLOWER WITH VARIABLE SPEED CONTROL, MODULATING THERMOSTATIC HAND HELD REMOTE -CONTROLS FLAME, BLOWER AND NIGHT LIGHT, PHAZERAMIC™ BURNER, EMBER BED AND LOGS WITH CAST IRON ANDIRONS, PULL SCREEN, DUAL RECEPTACLE JUNCTION BOX, FIRESTOP. BATHROOM/BEDROOM/BEDSITTING ROOM/MOBILE HOME APPROVED. UP TO 43,000 BTU'S. 50% FLAME/HEAT ADJUSTMENT FOR MAXIMUM COMFORT AND EFFICIENCY. DECORATIVE BRICK OR PORCELAIN PANELS MUST BE INSTALLED.

US \$

	Product	Model Description	Finish	WT/lbs.	Sugg. List
	GD80NT-1ME	Madison™ top vent gas fireplace - Natural Gas - Electronic Ignition		314	\$5,199
	GD80PT-1ME	Madison™ top vent gas fireplace - Propane - Electronic Ignition		314	\$5,199

OPTIONS/ACCESSORIES

DECORATIVE

MUST CHOOSE ONE FRAMING KIT AND ONE DECORATIVE BRICK OR PORCELAIN REFLECTIVE PANEL TO COMPLETE UNIT

	FK80-A	Framing kit - arched		13	\$69
	FK80-R	Framing kit - rectangular		12	\$69
	GD800-KT	Decorative brick panels and hearth strip	Old Town Red™	16	\$299
	GD807-KT	Decorative brick panels and hearth strip	sandstone	16	\$309
	GD806-KT	Decorative brick panels and hearth strip	herringbone, sandstone	16	\$309
	PRP80	Porcelain reflective radiant panels and sandtone hearth strip		30	\$299
	DK80A-HC	Decorative doors - arched	hammertone copper	15	\$299
	DK80A-HP	Decorative doors - arched	hammertone pewter	15	\$299
	DK80R-HC	Decorative doors - rectangular	hammertone copper	15	\$299
	DK80R-HP	Decorative doors - rectangular	hammertone pewter	15	\$299
	*EK80-A	Extension kit for arched doors with finish material from 1 3/4" to 2 3/4"		5	\$25
	*EK80-R	Extension kit for rectangular doors with finish material from 1 3/4" to 2 3/4"		5	\$25
	**GD525-WI	Complete faceplate with operable door	wrought iron	100	\$1,799
	FSAWI	Firescreen frame, arched	wrought iron	28	\$449
	FSRWI	Firescreen frame, rectangular	NO LONGER AVAILABLE		
	270	Paint, Thumalox - black 13 oz. MUST ORDER IN MULTIPLES OF 12		12	\$15
	W470-0017A	Paint, Wrought Iron 13 oz. MUST ORDER IN MULTIPLES OF 12		12	\$17
	HEAT CIRCULATION				
	GA-566	Hot air distribution kit		11	\$299
	GA-72	Hot air exhaust kit (GA-566 also required)		3	\$79
	GA-70	Extension kit, 5 ft flex vent		1	\$39
	RP5	Restrictor Plate (recommended for aggressive vertical venting)		2	\$13
	CONTROLS				
	W690-0005	Thermostat, 110 volt (for use with hot air distribution kit)		1	\$38

This unit also suitable for Power Vent Kit - refer to GPV (power vent) price list for details

*Note: Decorative doors are designed to attach to the fireplace with finishing material protruding from 1/2" up to 1 1/2", extending finishing material beyond 1 1/2" will require an extension kit (EK80-A or EK80-R).

NOTE: GD422R-1 (ROUND TERMINAL) REQUIRED FOR GD80NT THROUGH THE WALL INSTALLATION - SEE DIRECT VENT FIREPLACE VENTING COMPONENTS. GD422 (SQUARE TERMINAL) NOT SUITABLE FOR GD80.

**NOTE: GD525-WI IS DEDICATED FOR FLUSH INSTALLATION, FINISHING MATERIAL MUST NOT PROTRUDE BEYOND THE FACE OF THE FIREPLACE - USE FK80-A FOR FRAMING

STONE/MASONRY FINISHING TEMPLATE

Product	Model Description	Finish	WT/lbs.	Sugg. List
TEM80A	Arched template		23	\$59
TEM80WI	Arched template for GD525-WI		23	\$59
TEM80R	Rectangular template		22	\$59

The finishing template is designed as an installation tool to assist when facing a GD80 with stone or masonry products. In order to ensure glass door removal and installation of optional decorative doors, it is critical that no facing material protrude into the fireplace opening. This is a reusable tool/template which is recommended to be part of your installers equipment.



Effective: June 1, 2012
Revised: October 23, 2012

GD82NT-TE

GD82NT-T TUREEN™ DIRECT VENT GAS FIREPLACE (ZERO CLEARANCE TOP VENT)

Tested as a heater to ANSI Z21.88 and CSA 2.33

Venting - 4" & 7"

UNIT INCLUDES: ELECTRONIC IGNITION AND BATTERY BACK UP WITH BUILT-IN ADJUSTABLE FLAME/HEAT CONTROL, STAINLESS STEEL FLEX CONNECTOR WITH SHUT OFF, NIGHT LIGHT™ WITH ON/OFF SWITCH, HEAT CIRCULATING BLOWER WITH VARIABLE SPEED CONTROL, MODULATING THERMOSTATIC HAND HELD REMOTE - CONTROLS FLAME, BLOWER AND NIGHT LIGHT™, TUREEN™ PHAZERAMIC™ STONE ACCENT BURNER SYSTEM, DUAL RECEPTACLE JUNCTION BOX, FIRESTOP. BATHROOM/BEDROOM/BED SITTING ROOM/MOBILE HOME APPROVED. UP TO 26,000 BTU'S. 50% FLAME/HEAT ADJUSTMENT FOR MAXIMUM COMFORT AND EFFICIENCY.

NOTE: All units are natural gas. If propane is required - please order conversion kit.

US \$

	Product	Model Description	Finish	WT/lbs.	Sugg. List
	GD82NT-TE	Tureen™ top vent gas fireplace - Natural gas - Electronic Ignition		176	\$3,899
	W175-0292	Conversion kit with modulating regulator - Natural gas to propane		2	\$68

OPTIONS/ACCESSORIES

DECORATIVE

MUST CHOOSE ONE FACING KIT TO COMPLETE UNIT

*AFK82	Arched facing kit w/heritage pattern	painted black	22	\$419
*AFK82WI	Arched facing kit w/ lattice pattern	wrought iron	52	\$659
*RFK82	Rectangular facing kit	painted black	10	\$369
*RFK82N	Rectangular facing kit	brown	10	\$399
*RFK82T-1	Rectangular facing kit	taupe	10	\$399
*RFK82PW	Rectangular facing kit	diamond dust	10	\$399
SFK82SS	Surround facing kit	brushed stainless steel	60	\$1,699
HK82SS	Surround facing hearth kit	brushed stainless steel	10	\$279
10100-BULK	Stainless steel polish, case of 12		11	\$119
270	Paint, ThurmaloX - black 13 oz. MUST ORDER IN MULTIPLES OF 12		12	\$15
W470-0017A	Paint, Wrought Iron 13 oz. MUST ORDER IN MULTIPLES OF 12		12	\$17

HEAT CIRCULATION

	GA-566	Hot air distribution kit		11	\$299
	GA-72	Hot air exhaust kit (GA-566 also required)		3	\$79
	GA-70	Extension kit, 5 ft flex vent		1	\$39
	RP4	Restrictor Plate (recommended for aggressive vertical venting)		2	\$13

CONTROLS

	W690-0005	Thermostat, 110 volt (for use with hot air distribution kit)		1	\$38
--	-----------	--	--	---	------

*NOTE: FACING KITS NOT REQUIRED IF FINISHING WITH CUSTOM FIT MARBLE/STONE PANELS - SEE INSTALLATION INSTRUCTIONS FOR DETAILS.



Effective: August 20, 2012

Revised: October 23, 2012

LHD62

LHD62 LINEAR GAS SERIES

Tested to: ANSI Z21.50 and CSA2.22 vented gas fireplace

Venting - 8" & 10"

UNIT INCLUDES: ELECTRONIC IGNITION WITH BATTERY BACK-UP, RIBBON PAN BURNER, EXCLUSIVE "TOPAZ" CRYSTALINE™ EMBER BED, 4-PIECE BLACK TRIM, STAINLESS STEEL FLEX CONNECTOR WITH SHUT OFF, NIGHT LIGHT™, MODULATING THERMOSTATIC HAND HELD REMOTE-CONTROLS FLAME AND NIGHT LIGHT™, DUAL RECEPTABLE JUNCTION BOX, PIVOTED CERAMIC GLASS DOOR, PORCELAIN REFLECTIVE RADIANT PANELS AND BURNER TRAY - STANDARD, FIRESTOP. BATHROOM/BEDROOM/BEDSITTING ROOM/MOBILE HOME APPROVED. 50,000BTU'S

US \$

	Product	Model Description	Finish	WT/lbs.	Sugg. List
	LHD62N	Linear Fireplace - Natural gas	painted black	575	\$7,999
	LHD62P	Linear Fireplace - Propane	painted black	575	\$7,999

OPTIONS/ACCESSORIES

DECORATIVE

	NOTE: SAFETY SCREEN COMES STANDARD WITH OPTIONAL 4-SIDED SURROUND				
	LDS62K	Deluxe 4-sided surround w/safety screen (covers opening 70 " W x 22 " H)	painted gloss black	25	\$689
	LPS62SS	Premium 4-sided surround w/safety screen (covers opening 70 " W x 22 " H)	brushed stainless steel	25	\$999
	ALTERNATE MEDIA KITS ARE AVAILABLE TO REPLACE GLASS EMBERS SUPPLIED WITH UNIT				
	DL62	Driftwood Kit - Includes Sand, Rocks, Vermiculite and Logs (11 pcs.)		22	\$599
	RK62	Rock Kit - Includes Sand, Rocks, Vermiculite and multi-coloured rocks		12	\$239
	MKGK	media kit	glass embers - black	5	\$59
	MKGB	media kit	glass embers - blue	5	\$59
	MKGR	media kit	glass embers - red	5	\$59
	MKGA	media kit	glass embers - amber	5	\$59
	MKGC	media kit	glass embers - clear	5	\$59
	GD849KT	Decorative Fluted Brick Panels	California Sun	18	\$299
	ALL MEDIA ENHANCEMENT KITS ARE DESIGNED FOR RANDOM PLACEMENT WITHIN THE FIREBOX AS AN ADDITION TO EITHER THE CRYSTALINE™ EMBER BED OR ANY OF THE OTHER OPTIONAL MEDIA KITS				
	MEKR	media enhancement kit	6 river rocks - grey	3	\$39
	MEKG	media enhancement kit	6 ceramic GEO shapes	2	\$89
	MEGK	media enhancement kit	1 lb. glass embers - black	1	\$19
	MEGB	media enhancement kit	1 lb. glass embers - blue	1	\$19
	MEGR	media enhancement kit	1 lb. glass embers - red	1	\$19
	MEGA	media enhancement kit	1 lb. glass embers - amber	1	\$19
	LDNS	Designer Fire Art - Nickel Stix (2 suggested)	nickel plated	9	\$499
	270	Paint, ThurmaloX - black 13 oz. MUST ORDER IN MULTIPLES OF 12		12	\$15

HEAT CIRCULATION

	GA-566	Hot air distribution kit		11	\$299
	GA-72	Hot air exhaust kit (GA-566 also required)		3	\$79
	GA-70	Extension kit, 5 ft flex vent		1	\$39

***NOTE: Grey and/or multicoloured river rocks may be combined, if 2 kits are ordered**

CONTINUED



Effective: August 20, 2012

Revised: October 23, 2012

LHD62

LHD62 LINEAR GAS SERIES

VENT KITS AND COMPONENTS			
GD622R	Wall terminal	5	\$199
GD610	Roof terminal kits 1/12 to 7/12 pitch	25	\$329
GD611	Roof terminal kits 8/12 to 12/12 pitch	25	\$329
GD612	Roof terminal kits Flat roof	25	\$329
GD613	Roof terminal	12	\$229
GD620	Vent kit - 5 ft. (incl. 1 - 8"x5' + 1 - 10"x5' flexible aluminum liner)	7	\$99
GD630	Vent kit - 10 ft. (incl. 1 - 8"x10' + 1 - 10"x10' flexible aluminum liner)	14	\$199
RP8	Restrictor plate (Recommended for aggressive verticle venting)	2	\$13
W175-0002	8" coupler	2	\$16
W175-0249	10" coupler	3	\$14
W010-1797	Firestop	3	\$24
W585-0222	Vent pipe shield	4	\$24
W170-0116	Vent pipe collar	2	\$18
W573-0007	Hi-temperature sealant, (millpac) 10.3 oz cartridge	2	\$19
W573-0012	Hi-temperature sealant, (millpac) 10.3 oz cartridge (bulk - 24 per carton)	25	\$420
CONTROLS			
W690-0005	Thermostat, 110 volt (for use with hot air distribution kit)	1	\$38

This unit also suitable for Power Vent Kit - refer to GPV (power vent) price list for details